dals

MODEL CFLEDR06-CC-V NAME Delta

6" Round Flush Mount


Our LED flush mounts incorporate Edge-Lit technology, eliminating hot spots or glare. Can be installed inside or outside and offer 5 switch-selectable CCT settings – 2700 K, 3000 K, 3500 K, 4000 K, and 5000 K.

LIGHTING	80, de la Seigneurie blvd., E.4383, NW 124th Ave.,Blainville, Quebec j7C 4N1Coral Springs, Florida 33065		info@dals.com dals.com		
PROJECT		ТҮРЕ			
DATE		QTY			
NOTES					


U.S.A.

877.430.1818





LIGHT DISTRIBUTION



*Lumen output measured at 3000k

QUICK SPECS

DALS


Canada

Wet - Covered ceiling Size 6" Environment mounted only Watts (W) 11 Location Indoor / Outdoor **Delivered lumens*** 950 Operating temp. (° C) -20 to 40 CRI 90 **IP** rating IP44 Voltage (v) 120/277/347 Input voltage (V) 120-347 Output voltage (V) Beam angle (deg) 110 -Output current (mA) Mounting Twist bracket _ Lifespan (hrs) 50 000 **Power factor** 96 Binning 3 SDCM **Driver type** Driver on board THD LED model SMD 2835 <30% Bas Certifications ETL, FCC, ICES, Light direction 2700K,3000K,3500K,4000K,5000K T24/JA8, ADA **Color temperature**

ORDERING GUIDE CFLEDR06-CC-V Finish WH - White BK - Black

CONSTRUCTION

Lens material	PC
Lens type	Frosted
Finish type	Painted
Housing material	Aluminum



ELECTRICAL DETAILS

WHAT'S IN THE BOX	ACCESSORIES	ADAPTORS	
LED flush mount fixture			
Mounting bracket			
Mounting hardware			
Wire nuts			
Instruction sheet			

RECOMMENDED DIMMER LIST*

BRAND	MODEL	DIMMER SPECS	GRADE	MIN	MAX	MAX LOAD
Lutron	DVSTV (0–10 V Controls)*	960W, 8A, 120–277 V	Compatible	3	92	69
Leviton	IP710-LFZ (0–10 V Controls)	1200VA, 10A LED, 120-277V	Compatible	0	93	86
Leviton	ZS057-30Z (0-10 V Controls)	1388VA, 347VAC / 4A	Compatible	0	100	57
Lutron	RMJS-8T-DV-B (0-10 V Controls)	120 / 277V, 8A,	Compatible	0	100	69

*With Low-End Adjustment Feature

Minimal buzzing noise may occur with some dimmers

WARRANTY

DALS offers a 5-year warranty from the date of purchase which covers repairs or replacement of defective parts of the housing, optics, and electronics. To contact DALS customer service call 1-877-430-1818 or send an e-mail to info@dals.com.

