

PINPOINT

This series provides a contemporary aesthetic and functional design to your space. Available in various styles, and framed by a powder-coat finish, these high-output fixtures deliver crisp, low-glare light.

MSL1



MSL2




MSL4



MSL5



MSL5G



MSL10



MSL10G



COLOR SELECT



DRY



LOW-GLARE



SWIVEL/DIRECTIONAL*



*Models MSL5G-CC and MSL10G-CC only

PINPOINT

This series provides a contemporary aesthetic and functional design to your space. Available in various styles, and framed by a powder-coat finish, these high-output fixtures deliver crisp, low-glare light.



COLOR SELECT



DRY



LOW-GLARE



30°
SWIVEL/DIRECTIONAL*

IC








RATED



Intertek

Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage options ⚡
MSL1-CC*	1-15/16"	3 W	120 lm	90	2700, 3000, 3500, 4000, 5000 K	120V TRIAC dimming
MSL2-CC	3-1/8"	6 W	320 lm			
MSL4-CC	3-1/8"	12 W	600 lm			or
MSL5-CC	6"	14 W	800 lm			V: 120 / 277 / 347V
MSL5G-CC	6-3/4"	14 W	800 lm			0-10V dimming
MSL10-CC	11-5/8"	24 W	1300 lm			(Check for availability)
MSL10G-CC	11-15/16"	24 W	1300 lm			

*MSL1-CC is available with standard 120V voltage only



Specifications

Every fixture includes a junction box with integrated dimmable driver
Switch-selectable CCT
Can be daisy chained
Aluminum construction
30 degree swivel (models MSL5G and MSL10G only)
Low-glare
5-year warranty

Accessories

RFP-MSL1
Rough-in plate for MSL1

RFP-MSL2
Rough-in plate for MSL2

RFP-MSL4
Rough-in plate for MSL4

RFP-MSL5
Rough-in plate for MSL5

RFP-MSL5G
Rough-in plate for MSL5G

RFP-MSL10
Rough-in plate for MSL10

RFP-MSL10G
Rough-in plate for MSL10G

REC-CC-EXT8FT
8-foot extension cable

REC-CC-EXT20FT
20-foot extension cable

Finish

● **BK** Black
○ **AWH** White

Multi-voltage (V) ⚡

This product family offers multi-voltage drivers (120/277/347) that are dimmable using 0-10V dimming systems. Please note that longer lead times may apply for this option. Kindly reach out to your DALI representative for additional information and to confirm availability.

Note

Other color temperatures, finishes, and voltage options are available but may require minimum order quantities (MOQs) and longer lead times. Please contact your DALI representative for more information.