



SMART





277
CONNECTION
GUIDE



280
PRO HUB
DCP-HUB




282
REVOLVE PRO
DCP-GBR35



284
ETCH PRO
DCP-DDP4
DCP-DDP6



286
EXCEL PRO
DCP-PNL4
DCP-PNL6



288
BOULEVARD PRO
DCP-LNR24
DCP-LNR48



290
BOULEVARD
PENDANT PRO
DCP-LNPD48



292
A21 PRO
DCP-BLBA21



294
BR30 PRO
DCP-BLBBR30



296
ARCHITECT PENDANT
SM-LPD39



298
ARCHITECT WALL
SM-LWS19



300
AXIS TABLE LAMP
SM-STTL20



304
AXIS FLOOR LAMP
SM-STFL50



306
ELEMENT SMART
SM-RGR4WH



308
EXCEL SMART
SM-PNL4
SM-PNL6



310
DELTA SMART
SM-FM08/14



312
A19 SMART
SM-BLBA19




314
BR30 SMART
SM-BLBBR30




316
GU10 SMART
SM-BLBGU10



318
PAR20 SMART
SM-PAR20



320
SMART TAPE
SM-TAP1M/ SM-TAP3M
SM-TAP5M



322
SMART OUTDOOR TAPE
SM-OTP24FT
SM-OTPACC8FT



324
SMART LINEAR
SM-UCL12/ SM-UCL24/
SM-UCL36



326
SMART PUCK
SM-UP1/ SM-UPK3/
SM-UPK5



328
SMART WALL
CONTROLLER
SM-WLCT




330
SMART PLUG
SM-PLUG



332
SMART DIMMER
SWITCH
SM-DIMSW



334
ACCESSORIES



DALS Launched its first smart home products in 2017 and with over 250,000 devices sold as of December 2021, we have developed an application expertise.

In 2019, we launched our new DALS Connect platform which quickly established its leadership with its Wi-Fi direct product ecosystem. In 2022, DALS is launching its DALS Connect PRO product assortment, which uses a Bluetooth mesh technology; allowing for a much higher number of devices installed on a network as well as several other features.

Both DALS Connect and DALS Connect PRO products work together and can easily co-exists on the same application.

One APP – One smart ecosystem with technology options

There are many benefits to smart lighting



Experience

White color temperature, and a wide array of fun colors, are easily changeable, allowing you a multitude of lighting comfort.



Save

Save on energy and increase your home's security by using schedules or turning on/off the light remotely when no one is home.



Control

Easily control your lighting with smart switches, your phone, or a voice assistant for even more convenience.



Create

With the Dals Connect app, you can program your own lighting scenes for specific conditions and tasks like watching movies, daytime or nighttime reading, parties, etc. Within a scene, you can change the brightness, color temperature and even use different hues.

What are the main differences between DALS Connect and DALS Connect PRO?



dals || CONNECT

Quick start – direct features

DALS Connect products use Wi-Fi wireless technology which is used widely to connect computers, tablets, smartphones, smart devices, and others to the internet. Wi-Fi is shared through a router to all Wi-Fi enabled devices. This technology allows for a lot of range and a lot of devices, although there are some limitations as well. Wi-Fi has a relatively high absorption rate and works best for line-of-sight uses. A residential wireless access point usually has a range of about 30 feet and a maximum of 20 devices, depending on the type of wireless access point.



dals || CONNECT PRO

Higher number of devices – independent network

DALS Connect PRO uses Bluetooth-mesh technology. It works on the principle that each Bluetooth device on the mesh network can relay commands to another device, through the connection from the previous device. Bluetooth-mesh networking is a standard based on Bluetooth Low Energy that allows for many-to-many communication over Bluetooth radio. You can use your smart phone or tablet to control large groups of products even without an internet connection.

Dals Connect Pro hub

You can also add the Dals Connect Pro hub, to connect up to 128 DALS Connect PRO products to the cloud as a single internet connection (as opposed to DALS Connect products where each product has its individual connection). You can also use multiple hubs for projects with more than 128 devices, with each hub acting as an internet connection as well. Cloud connection allows you to use your products with voice command platforms (such as Google Home and Amazon Alexa) as well as allowing for remote control.



Not all Wi-Fi routers are created equal. A 30\$ router will not perform the same or support the same number of devices as a 350\$ router. The number of antennas will greatly increase your Wi-Fi range.



Most smart devices only operate on the 2.4 GHz spectrum, whereas most routers nowadays share the same band for 5 GHz and 2.4 GHz. If you experience issues with disconnecting devices or trouble adding new devices, try separating your 5 GHz and 2.4 GHz band on your router. Your internet service provider can help you set this up.

Which one is best for me?

Thanks to the Dals Connect Application, you don't have to use multiple apps to control all of your smart devices, even if you decide to mix and match communication technologies.

The Dals Connect App can support Bluetooth-mesh devices mixed with Wi-Fi devices, and you can add cloud connectivity to your Bluetooth-mesh devices using the Dals Connect Pro hub. All of these will work together, but which one is right for you? Let's find out.

	DALS Connect	DALS Connect PRO	DALS Connect PRO + Hub
Uses the DALS Connect App	•	•	•
Can be controlled from multiple devices at once	•		•
Range of operation from the controller (Wi-Fi router or another Bluetooth-mesh device)	30 FT	75 FT	75 FT
Number of supported smart devices	20	100*	128
Can be controlled locally (without internet)		•	•
Requires multiple access points to extend the range	•		
Secure connection	•	•	•
Can be used with voice-controlled assistant	•		•

**The actual maximum number of Bluetooth devices supported in a mesh network is much higher (32 767) but achieving these numbers would require professional network installations and mesh network segmentation.*



You can use a free network scanner tool to determine the limited range of your router. Wireless strength is represented as dBm (decibel-milliwatts) and a good Wi-Fi signal will usually range between -30 and -65 dBm. Anything lower than -65 dBm will most likely experience issues.



The technology you choose doesn't have to be all the same. You can easily combine Bluetooth Mesh devices with Wi-Fi devices thanks to the Dals Connect App. It all depends on the application. If you wish to have smart recessed devices for your exterior soffits, you would opt for Dals Connect Pro products to gain maximum range and inter-connectivity, and could combine them with Wi-Fi products for your living room. The choice is up to you!

Pro hub

By connecting to the hub you enable communication with the cloud and the Dals Connect app, allowing users to easily view and control up to 128 smart devices for each hub that use the Bluetooth protocol. Supports Wi-Fi and BLE Mesh: You can control it remotely through Wi-Fi or locally through BLE, ensuring gateway availability even if there is no network.



Model	Size	Wi-Fi	Bluetooth	Number of supported devices	Alexa & Google Assistant compatible	Voltage
DCP-HUB	4"	✓	✓	128*	✓	120 V

*Per Hub

Specifications

Indoor use only
Control with the Dals Connect app
Number of supported smart devices per hub: 128
Can be controlled locally (without internet)
Works with Dals Connect PRO devices
Secure connection
Can be used with a voice-controlled assistant
Supports Wi-Fi and BLE Mesh protocols
5-year warranty

Finish

☐ WH White


Note

For remote access a secured 2.4 GHz wireless network is required.

Download the Dals Connect app



DCP-HUB



Revolve Pro

Our Recessed family has grown with a new range of adjustable downlights. The effortless design and high functionality of these fixtures are sure to make a welcome addition in any room.



WET



LOW-GLARE



Bluetooth



Intertek



SWIVEL/DIRECTIONAL



CHANGE COLORS



RATED



AIR TIGHT



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-GBR35	3.5"	12 W	650 lm	90	RGB + 2700 K - 6500 K	120 V

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K - 6500K in pure whites
 40° beam angle
 30° tilting, 360° rotation
 Dimmable through the Dals Connect app only
 Bluetooth mesh technology
 Minimal heat emission
 Aluminum construction
 Regressed light source
 Suitable for wet locations
 5-year warranty

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.

Finish

☐ **WH** White

Download the Dals Connect app


Create groups
 Set schedules
 Remote access*
 Compatible with Google Assistant and Amazon Alexa*



*Hub needed

DCP-GBR35-WH

Ø3-1/2"



Etch Pro

With reduced glare and a sleek and minimal construction, the Dals Connect Pro recessed panel lights will be a great addition to any project. Connect 100+ devices through Bluetooth, create groups, set schedules and select from a wide range of colors, all possible with the DALS Connect App™.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-DDP4WH	4"	15 W	1000 lm	90	RGB + 2700 K - 6500 K	120 V
DCP-DDP6WH	6"	20 W	1500 lm	90	RGB + 2700 K - 6500 K	120 V

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K - 6500K in pure whites
 125° beam angle
 Dimmable through the Dals Connect app only
 Bluetooth mesh technology
 Minimal heat emission
 Aluminum construction
 Regressed light source
 Suitable for wet locations
 5-year warranty

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.

Finish

☐ WH White

Download the Dals Connect app


Create groups
 Set schedules
 Remote access*
 Compatible with Google Assistant and Amazon Alexa*




*Hub needed



DCP-DDP4 Ø4 1/4"



DCP-DDP6 Ø6 1/4"



Excel Pro

The Dals Connect Pro panel lights will be a great addition to any project. Connect 100+ devices through Bluetooth, create groups, set schedules and select from a wide range of colors, all possible with the DALS Connect App™.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-PNL4WH	4"	14 W	750 lm	90	RGB + 2700 K - 6500 K	120 V
DCP-PNL6WH	6"	20 W	1200 lm	90	RGB + 2700 K - 6500 K	120 V

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K - 6500K in pure whites
 Dimmable through the Dals Connect app only
 Bluetooth mesh technology
 Minimal heat emission
 Aluminum construction
 Suitable for wet locations
 5-year warranty

Finish

○ **WH** White

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.

Download the Dals Connect app


Create groups
 Set schedules
 Remote access*
 Compatible with Google Assistant and Amazon Alexa*



*Hub needed


DCP-PNL4

Ø4 1/4"




DCP-PNL6

Ø6 1/2"



Boulevard Pro

The Boulevard series, an architectural recessed lighting channel that can be installed in a wide range of commercial and residential environments. Add depth to ceiling planes with a visible separation, or seamlessly daisy-chained to create dramatic effects.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-LNR24	24"	20 W	1785 lm	90	RGB + 2700 K – 6500 K	120 V
DCP-LNR48	48"	40 W	3380 lm			

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K – 6500K in pure whites
 108° beam angle
 Dimmable through the Dals Connect app only
 Bluetooth mesh technology
 IC certification (suitable for direct contact with insulation)
 Air-tight certified as per ASTM E283-04
 Suitable for wet locations
 5-year warranty

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.

Finish

○ WH White


Download the Dals Connect app

Create groups
 Set schedules
 Remote access*
 Compatible with Google Assistant and Amazon Alexa*





*Hub needed

DCP-LNR24 23-3/8" x 2-1/8"




DCP-LNR48 47-7/16" x 2-1/8"



Boulevard pendant Pro

The Boulevard series, a linear modular light fixture perfect for general office, home, and shop illumination. Can be interconnected to produce striking visual effects.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-LNPD48	48"	40 W	2620 lm	90	RGB + 2700 K – 6500 K	120 V

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K – 6500K in pure whites
 108° beam angle
 Dimmable through the Dals Connect app only
 Bluetooth mesh technology
 IC certification (suitable for direct contact with insulation)
 Air-tight certified as per ASTM E283-04
 Suitable for wet locations
 5-year warranty

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.

Finish

○ WH White


Download the Dals Connect app

Create groups
 Set schedules
 Remote access*
 Compatible with Google Assistant and Amazon Alexa*



*Hub needed

DCP-LNPD48



A21 Pro

Enter the world of Smart lighting with our array of dimmable LED Bluetooth controlled bulbs that emit a full spectrum of vibrant colors or tunable pure whites ranging from 2700 to 6500 K.



WET



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-BLBA21	A21	12 W	1100 lm	90	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Suitable for enclosed fixtures
Bluetooth mesh technology
Dimmable through the Dals Connect app
Over 50,000 hours of service life
Suitable for wet locations
5-year warranty

Finish

☐ **WH** White

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.


Download the Dals Connect app

Create groups
Set schedules
Remote access*
Compatible with Google Assistant and Amazon Alexa*



*Hub needed

DCP-BLBA21



BR30 Pro

Enter the world of Smart lighting with our array of dimmable LED Bluetooth controlled bulbs that emit a full spectrum of vibrant colors or tunable pure whites ranging from 2700 to 6500 K.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
DCP-BLBBR30	BR30	12 W	1200 lm	90	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Bluetooth mesh technology
Dimmable through the Dals Connect app
Over 50,000 hours of service life
Suitable for wet locations
5-year warranty

Finish

☐ **WH** White

Note

Add the DALS Connect Pro Hub for even greater flexibility: voice control, remote access, expanded mesh network, ability to connect up to 128 devices per Hub.


Download the Dals Connect app

Create groups
Set schedules
Remote access*
Compatible with Google Assistant and Amazon Alexa*



*Hub needed

DCP-BLBBR30



Architect pendant

New to the smart world? Here is our new smart linear pendant. This decorative pendant will definitely add to your family & friends gatherings or to your boardroom meetings. Controlled with the DALS Connect™ app and compatible with Google Home and Amazon Alexa this is the only missing piece to a fun and unique space.




DRY



CHANGE COLORS



ETL
Intertek



Model	Size	Watts	Delivered lumens	LED lumens	CRI	Color °T	Voltage
SM-LPD39	39.5"	30 W	1665 lm	1830 lm	80+	RGB + 2700 K - 6500 K	120 V

Specifications

Made of extruded aluminum
 Over 50,000 hours of service life
 Adjustable height up to 10 feet
 Full color spectrum
 2700K - 6500K in pure whites
 Dimmable through the Dals
 Connect app only
 For indoor use only
 Canopy mount on 4" octagonal
 junction box
 5-year warranty

Finish


● **BK** Black

Download the Dals Connect app

Wi-Fi - no hub needed
 Create groups
 Set schedules
 Remote access
 Compatible with Google
 Assistant and Amazon Alexa



SM-LPD39



Architect wall

Looking to add to your smart family products? Here is our new smart linear wall sconce. Not only decorative but also practical, this fixture can be controlled with the DALI Connect™ app and is compatible with Google Home and Amazon Alexa. So many options at your fingertips - the possibilities are endless.



WET



CHANGE COLORS

ADA

COMPLIANT



Intertek

Wi-Fi



Model	Size	Watts	Delivered lumens	LED lumens	CRI	Color °T	Voltage
SM-LWS19	19.5"	15 W	1130 lm	1245 lm	80+	RGB + 2700 K - 6500 K	120 V

Specifications

Made of extruded aluminum
Over 50,000 hours of service life
Full color spectrum
2700K - 6500K in pure whites
Dimmable through the Dals Connect app only
Wall mount on 4" octagonal junction box
ADA compliant
Suitable for wet locations
5-year warranty

Finish


● **BK** Black

Download the Dals Connect app

Wi-Fi - no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-LWS19



Axis table lamp

Enter the world of smart lighting with our array of dimmable LED Wi-Fi controlled devices that emit a full spectrum of vibrant colors or tunable pure whites ranging from 2700 to 6500 K. For tranquility and peace of mind, easily control and manage your lighting remotely with the DALI Connect™ app connected to your mobile device or through your preferred AI home assistant.




DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-STTL20	17"	7 W	360 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Aluminum construction
Minimal heat emission
Dimmable through the Dals Connect app only
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


● **BK** Black

Download the Dals Connect app

Wi-Fi – no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-STTL20







Axis floor lamp

Enter the world of smart lighting with our array of dimmable LED Wi-Fi controlled devices that emit a full spectrum of vibrant colors or tunable pure whites ranging from 2700 to 6500 K. For tranquility and peace of mind, easily control and manage your lighting remotely with the DALI Connect™ app connected to your mobile device or through your preferred AI home assistant.



NEW



DRY



CHANGE COLORS



Intertek

Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-STFL50	50"	14 W	720 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Aluminum construction
Minimal heat emission
Dimmable through the Dals Connect app only
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


● **BK** Black

Download the Dals Connect app

Wi-Fi – no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-STFL50



Element smart

When choosing a recessed fixture, eliminating glare is a priority. The unique positioning of the LED module in this series of downlights will meet that important need. The Element Smart will add a touch of personality to your room with the help of our new DALI Connect™ App.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-RGR4WH	4"	14 W	700 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K – 6500K in pure whites
 Dimmable through the Dals Connect app only
 Minimal heat emission
 Aluminum construction
 Regressed light source
 Suitable for dry locations
 IC certification (suitable for direct contact with insulation)
 Air-tight certified as per ASTM E283-04
 5-year warranty

Finish

○ **WH** White

Accessories

SM-RGREXT108



108" extension for smart regressed lights

Download the Dals Connect app

Wi-Fi – no hub needed
 Create groups
 Set schedules
 Remote access
 Compatible with Google Assistant and Amazon Alexa



SM-RGR4WH



Excel smart

Our smart LED panel light will be a great addition to any project. The sleek and minimal construction allows for the easiest of installations with the added bonus of a wide range of colors and settings made possible by the DALI Connect App™.



DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-PNL4WH	4"	10 W	600 lm	80+	RGB + 2700 K - 6500 K	120 V
SM-PNL6WH	6"	15 W	1000 lm	80+	RGB + 2700 K - 6500 K	120 V

Specifications

Includes a junction box with integrated driver
 Over 50,000 hours of service life
 Full color spectrum
 2700K - 6500K in pure whites
 Dimmable through the Dals Connect app only
 Minimal heat emission
 Aluminum construction
 Suitable for dry locations
 IC certification (suitable for direct contact with insulation)
 5-year warranty

Finish

☐ **WH** White

Accessories

REC-PT4-BB (SM-PNL4WH)
 4" recessed panel trim in brushed brass

REC-PT4-BK (SM-PNL4WH)
 4" recessed panel trim in black

REC-PT4-SN (SM-PNL4WH)
 4" recessed panel trim in satin nickel

REC-SMPT6-BK (SM-PNL6WH)
 6" recessed panel trim in black

SM-PNLEXT108
 108" extension for smart recessed panel lights



Download the Dals Connect app

Wi-Fi - no hub needed
 Create groups
 Set schedules
 Remote access
 Compatible with Google Assistant and Amazon Alexa





SM-PNL4

Ø4 1/4"



SM-PNL6

Ø6 1/4"



Delta smart

The ultra-slim design of our Smart ceiling fixture is the cornerstone of LED lighting technology. This flush mount emits a uniform and true light creating the ambient atmosphere you desire with the push of a button.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-FM08WH	8"	10 W	800 lm	80+	RGB + 2700 K – 6500 K	120 V
SM-FM14WH	14"	18 W	1400 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Dimmable through the Dals Connect app only
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


☐ **WH** White

Download the Dals Connect app


Wi-Fi – no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-FM08WH



SM-FM14WH



A19 smart bulb

Enter the world of smart lighting with our array of dimmable LED Wi-Fi controlled bulbs that emit a full spectrum of vibrant colors or tunable pure whites ranging from 2700 to 6500 K. For tranquility and peace of mind, easily control and manage your lighting remotely with the DALS Connect™ app connected to your mobile device or through your preferred AI home assistant.



DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-BLBA19	A-19	9 W	800 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Suitable for enclosed fixtures
800 lm = 60W bulb equivalent
Dimmable through the Dals Connect app
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


☐ **WH** White

Download the Dals Connect app

Wi-Fi – no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-BLBA19



BR30 smart

Enter the world of smart lighting with our array of dimmable LED Wi-Fi controlled bulbs that emit a full spectrum of vibrant colors or tunable pure whites ranging from 2700 to 6500 K. For tranquility and peace of mind, easily control and manage your lighting remotely with the DALI Connect™ app connected to your mobile device or through your preferred AI home assistant.



DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-BLBBR30	BR30	9 W	900 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Suitable for enclosed fixtures
900 lm = 65W bulb equivalent
Dimmable through the Dals Connect app
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


☐ **WH** White

Download the Dals Connect app

Wi-Fi – no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-BLBBR30



GU10 smart

Enter the world of smart lighting with our wide range of dimmable LED Wi-Fi controlled bulbs. With a full spectrum of vibrant colors and tunable pure whites ranging from 2700 to 6500 K, you can let your imagination flow. For tranquility and peace of mind, easily control and manage your lighting remotely with the new DALS Connect App™ using your mobile device or preferred AI home assistant.



DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-BLBGU10	GU10	5.5 W	400 lm	80+	RGB + 2700 K – 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K – 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Dimmable through the Dals Connect app
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


☐ **WH** White

Download the Dals Connect app

Wi-Fi – no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-BLBGU10



PAR20 smart

Enter the world of Smart lighting with our wide range of dimmable LED Wi-Fi controlled bulbs. With a full spectrum of vibrant colors and tunable pure whites ranging from 2700 to 6500 K, you can let your imagination flow. For tranquility and peace of mind, easily control and manage your lighting remotely with the new DALS Connect App™ using your mobile device or preferred AI home assistant.



DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-BLBPAR20	PAR20	6 W	500 lm	80+	RGB + 2700 K - 6500 K	120 V

Specifications

Excellent color rendering
Full color spectrum
2700K - 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Dimmable through the Dals Connect app
Over 50,000 hours of service life
Suitable for dry locations
5-year warranty

Finish


☐ **WH** White

Download the Dals Connect app

Wi-Fi - no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-BLBPAR20



Smart tape

Technology at its finest, with these Wi-Fi LED Tape kits, you will have full control of your lighting design through your smart phone. Change colors at will, set schedules, adjust light intensity – anything's possible.



DRY



CHANGE COLORS



Intertek

Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-TAP1M	1m	5.5 W	400 lm	80+	RGB + 2700 K - 6500 K	12 V
SM-TAP3M	3m	14 W	950 lm	80+	RGB + 2700 K - 6500 K	12 V
SM-TAP5M	5m	17 W	1200 lm	80+	RGB + 2700 K - 6500 K	12 V

Specifications

Excellent color rendering
Full color spectrum
2700K - 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Dimmable through the Dals Connect app
Over 50,000 hours of service life
1x 6" reconnect accessory included per meter (3m=3x / 5m=5x)
Suitable for dry locations
5-year warranty

Accessories

SM-TAPACCWM

Wi-Fi module controller & remote for smart indoor tape

SM-TAPACCY

6 in. "Y"-Splitter for smart indoor tape

SM-TAPEXT24

24 in. extension for smart indoor tape

SM-TAPEXT60


60 in. extension for smart indoor tape

Download the Dals Connect app

Wi-Fi - no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa




SM-TAP1M	1m (39")
SM-TAP3M	3m (118")
SM-TAP5M	5m (196")



Smart outdoor tape

Bringing fun outdoors is made easy with our smart outdoor tape and the new DALI Connect App™.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-OTP24FT	24'	15 W	1500 lm	80+	RGB + 2700 K - 6500 K	24 V
SM-OTPACC8FT	8'	5 W	500 lm	80+	RGB + 2700 K - 6500 K	24 V

Specifications

Suitable for wet locations
Excellent color rendering
Full color spectrum
2700K - 6500K in pure whites
Superior LED performance and lifespan
Minimal heat emission
Dimmable through the Dals Connect app
Over 50,000 hours of service life
5-year warranty

Accessories

SM-OTPACC8FT
8' RGB+CCT outdoor tape extension

SM-OTPACCWM
Wi-Fi module controller & remote for smart outdoor tape

SM-OTPAACY24
24 in. "Y" splitter for smart outdoor tape

SM-OTPEXT60
60 in. extension for smart outdoor tape

Download the Dals Connect app

Wi-Fi - no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa



SM-OTP24FT 24 ft



Smart linear

When designing a linear, we are looking for flexibility and ease of installation. This is why we are introducing the SMART linear. Choose from an array of colors and settings using our DALS Connect™ App.




DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-UCL12	12"	6 W	400 lm	80+	RGB + 2700 K – 6500 K	12 V
SM-UCL24	24"	12 W	800 lm	80+	RGB + 2700 K – 6500 K	12 V
SM-UCL36	36"	18 W	1200 lm	80+	RGB + 2700 K – 6500 K	12 V

Specifications

Wi-Fi – no hub needed
 Excellent color rendering
 Full color spectrum
 2700K – 6500K in pure whites
 Superior LED performance and lifespan
 Minimal heat emission
 Dimmable through the Dals Connect app
 or supplied infrared remote
 Over 50,000 hours of service life
 36W plug-in driver included
 Remote control included
 Suitable for dry locations
 5-year warranty

Finish

○ **WH** White

Accessories

SM-UCLWM

Wi-Fi module controller and remote
for smart linears

SM-UACCY24

24" Y-splitter for smart linears and pucks

SM-UEXT24

24" extension for smart linears and pucks

SM-UEXT60


60" extension for smart linears and pucks

Download the Dals Connect app


Wi-Fi – no hub needed
 Create groups
 Set schedules
 Remote access
 Compatible with Google
 Assistant and Amazon Alexa




SM-UCL12



SM-UCL24



SM-UCL36



Smart puck

Enter the world of Smart lighting with our dimmable LED Wi-Fi controlled pucks. With a full spectrum of vibrant colors and tunable pure whites ranging from 2700 K to 6500 K, you can let your imagination flow. For tranquility and peace of mind, easily control and manage your lighting remotely with the new DALI Connect App™.




DRY



CHANGE COLORS



Intertek



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-UP1	1 x Ø2.75"	2.3 W	110 lm	80+	RGB + 2700 K - 6500 K	12 V
SM-UPK3	3 x Ø2.75"	11 W	330 lm	80+	RGB + 2700 K - 6500 K	12 V
SM-UPK5	5 x Ø2.75"	18 W	550 lm	80+	RGB + 2700 K - 6500 K	12 V

Specifications

12 V plug-in driver, Wi-Fi controller, and remote control included with kits of 3 and 5 pucks (SM-UPK3, SM-UPK5)
 Excellent color rendering
 Full color spectrum
 2700K - 6500K in pure whites
 Superior LED performance and lifespan
 Minimal heat emission
 Dimmable through the Dals Connect app or supplied infrared remote
 Over 50,000 hours of service life
 5-year warranty

Note

Model **SM-UP1** is a single puck light only. 12V driver, Wi-Fi controller and remote control sold separately.

Finish

○ **WH** White

Accessories

SM-UPKWM

Wi-Fi module controller and remote for smart pucks

SM-UACCY24

24" Y-splitter for smart pucks and linears

SM-UEXT24

24" extension for smart pucks and linears

SM-UEXT60


60" extension for smart pucks and linears

Download the Dals Connect app

Wi-Fi - no hub needed
 Create groups
 Set schedules
 Remote access
 Compatible with Google Assistant and Amazon Alexa



SM-UP1



Smart wall controller

Transform any house into an easy-to-use smart home with our new smart wall controller and the DALS Connect App™. Four buttons to program and fully customize your own scenes. Convenience at your fingertips.



Model	Size	Programmable	Stand-by mode	Maximum load	Voltage
SM-WLCT	4 1/2"	✓	✓	500 W	120 V

Specifications

Indoor use only
 Control any Dals Connect device from this wall controller
 4 preset buttons to customize your own scenes for specific devices
 Control from the wall switch or with the Dals Connect app
 Stand-by mode, always connected even if the lights are off
 5-year warranty

Note

Requires a neutral wire. Works in a single-pole setup only. Secured 2.4 GHz wireless network required.

Finish


☐ **WH** White

Download the Dals Connect app

Wi-Fi - no hub needed
 Create groups
 Set schedules
 Remote access
 Compatible with Google Assistant and Amazon Alexa




SM-WLCT



Smart plug

The DALS Smart Plug lets you control your lights, fans, coffee makers, and more. All you need is the easy-to-use DALS Connect App™ or a voice-enabled device like Amazon Echo, or the Google Assistant. With multiple smart plugs you can create groups, set timers and make your very own smart home.



Model	Size	Watts	Delivered lumens	CRI	Color °T	Voltage
SM-PLUG	2-3/4"	-	-	-	-	120 V

Specifications

Slim design allows two plugs on the same wall outlet

Control electric "non-smart" appliances & devices

Easily manage devices through the Dals Connect app

Maximum load of 1200 watts (10 amps)

Secured 2.4 Ghz wireless network required

Suitable for dry locations

5-year warranty

Finish

○ **WH** White

Download the Dals Connect app

Wi-Fi - no hub needed

Create groups



Set schedules

Remote access

Compatible with Google Assistant and Amazon Alexa



SM-PLUG



Smart dimmer switch

In need of a dimmer but not sure which one to get? Look no further. With the DALS Connect™ app, you will be able to create groups, set timers and much more. This is a great way to get to know smart home technologies and perhaps convince you to come and join us on the smart side with our ever growing smart product line.



Model	Size	Dimmer	Scheduling	Sunrise & Sunset setting	Alexa & Google Assistant compatible	Voltage
SM-DIMSW	4 1/2"	✓	✓	✓	✓	120 V

Specifications

Indoor use only
Control from the wall switch or with the Dals Connect app
LED brightness indicator
Touch-sensitive slide dimmer
Works with all "non-smart" standard lights
Dimming type: TRIAC Edge cut
Inductive load (LED-CFL): 250W max.
Resistive load (incan.): 430W max.
Standby power: 1W
5-year warranty

Finish

○ **WH** White

Note


Does not work with Dals smart lights. Requires a neutral wire. Works in a single-pole setup only. Secured 2.4 GHz wireless network required.

Download the Dals Connect app

Wi-Fi - no hub needed
Create groups
Set schedules
Remote access
Compatible with Google Assistant and Amazon Alexa











SM-DIMSW



Accessories









SMART OUTDOOR TAPE ACCESSORIES

Model		Compatibility	Finish	Specification
SM-OTPACC8FT  WET		SM-OTP24FT	White	• 8 ft. RGB+CCT Outdoor LED Tape Light Extension
SM-OTPACCWM  WET		SM-OTP24FT	Black	• DALS Connect Wi-Fi Module Controller & Remote for Smart Outdoor Tape
SM-OTPACCY24  WET		SM-OTP24FT	Black	• DALS Connect 24 in. "Y" Splitter for Smart Outdoor Tape
SM-OTPEXT60  WET		SM-OTP24FT	Black	• DALS Connect 60 in. Extension for Smart Outdoor Tape











SMART RECESSED ACCESSORIES

Model		Compatibility	Finish	Specification
REC-SMPT6-BK  DRY		SM-PNL6	Black	• 6 in. trim for SM-PNL6
REC-PT4-XX  DRY		SM-PNL4	Brushed Brass Black Satin Nickel	• 4 in. trim for SM-PNL4
SM-PNLEXT108  DRY		SM-PNL4 SM-PNL6	White	• 108 in. Extension for Smart Recessed Panel Lights
SM-RGREXT108  DRY		SM-PNL4 SM-PNL6	White	• 108 in. Extension for Smart Regressed Lights

SMART INDOOR TAPE ACCESSORIES

Model		Compatibility	Finish	Specification
SM-TAPACCWM 		SM-TAP1M SM-TAP3M SM-TAP5M	White	• Wi-Fi Module Controller & Remote for Smart Indoor Tape
SM-TAPACCY 		SM-TAP1M SM-TAP3M SM-TAP5M	White	• 6 in. Y-Splitter for Smart Indoor Tape
SM-TAPEXT24 		SM-TAP1M SM-TAP3M SM-TAP5M	White	• 24 in. Extension for Smart Indoor Tape
SM-TAPEXT60 		SM-TAP1M SM-TAP3M SM-TAP5M	White	• 60 in. Extension for Smart Indoor Tape

SMART PUCK AND LINEAR ACCESSORIES

Model		Compatibility	Finish	Specification
SM-UPKWM 		SM-UP1 SM-UPK3 SM-UPK5	White	• Wi-Fi Module Controller and Remote for Smart Pucks
SM-UCLWM 		SM-UCL12 SM-UCL24 SM-UCL36	White	• Wi-Fi Module Controller and Remote for Smart Linears
SM-UACCY24 		SM-UPK1/3/5 SM-UCL12/24/36	White	• 24 in. Y-splitter for Smart Linears and Pucks
SM-UEXT24 		SM-UPK1/3/5 SM-UCL12/24/36	White	• 24 in. Extension for Smart Linears and Pucks
SM-UEXT60 		SM-UPK1/3/5 SM-UCL12/24/36	White	• 60 in. Extension for Smart Linears and Pucks